

COMMERCIAL-GRADE

RESIDENTIAL ELECTRIC WATER HEATERS

VOLTEX® AL SMART HYBRID ELECTRIC HEAT PUMP WATER HEATER WITH ANTI-LEAK TECHNOLOGY

The Voltex AL Smart Hybrid Electric heat pump water heater from A. O. Smith is the most cost-effective, energy-efficient option available for consumers who want to save money on their utility bills. Voltex AL combines annual savings on utility bills with new leak protection features to support homeowner peace of mind like leak detection and optional automatic water shutoff.

HOW DO THEY WORK?

Absorb ambient heat from the surrounding air to heat water using a compressor.

- Self-contained heat pump unit is integrated into the top of the tank.
- Backup electric elements can supplement the heat pump depending on operating mode, environmental conditions, and hot water demand.

EXCEPTIONAL ENERGY EFFICIENCY

- Improved efficiency up to 4.02
 Uniform Energy Factor (UEF) can
 reduce the cost of water heating by
 up to 78%*
- Heat pump can work down to 3°C ambient for more days of high efficiency operation.
- ENERGY STAR® certified.

 Smart anode adapts to local water conditions to protect and extend the life of the water heater.

LEAK PROTECTION TECHNOLOGY

- Controls regulate depletion of the anode to extend the life of the anode allowing superior tank protection far longer than standard anode rods.
- User is notified when the anode is consumed and needs to be replaced.
- Smart sensor alerts user in the event a leak does occur for added peace of mind.
- Compatible with the automatic water shutoff valve for enhanced protection

ELECTRONIC CONTROLS

 User-friendly electronic interface allows easy control of temperature, operating mode and diagnostics

QUIET OPERATION

 45 dBA operating sound level is the quietest heat pump in the industry.

FLEXIBLE DESIGN

- Top and front water connections for easy installation
- Zero clearance required on sides and back to fit in tighter spaces.
- Integrated ducting adapters for installations in confined spaces
- Ideal for basements, utility rooms or garage installations; the compressor transfers heat to the water while dehumidifying and cooling the ambient air.

10-YEAR LIMITED WARRANTY

 For complete information, consult written warranty or go to www.aosmithme.com









Low Lead Conte



*Comparing 66-gallon Voltex AL heat pump against pre-2015 similarly sized standard electric using DOE EF to UEF conversion rates. Savings may vary.



COMMERCIAL-GRADE

RESIDENTIAL ELECTRIC WATER HEATERS

Model Number	Nominal Capacity	Rated Storage Volume	UEF	First Hour Rating (gallons)	Dimensions in Inches							Approximate Shipping	Warranty
					Α	В	С	D	E	F	G	Weight (kgs)	Terms
HPTS-50	50	46	3.80	65	63	22	40.5	3.75	8	43.5	48	89	10
HPTS-66	66	67	4.02	82	61.5	26.5	38.25	4	8	41.25	46	129	10
HPTS-80	80	82	3.88	95	69	26.5	46.5	4	8	50.5	54.5	137	10

Requires 30-amp breaker. Top T&P option not available.


MULTIPLE OPERATING MODES

Choose from multiple modes to match water heating needs and environmental conditions:

- Hybrid (Default): Hot water delivery balanced with energy saving performance
- o Heat Pump: Maximum energy efficiency
- o **Electric**: Uses only the electric heating elements
- Vacation: Reduce energy use while you are away

OTHER FEATURES:

- Easily accessible front mounted junction box
- Environmentally friendly, non-CFC foam insulation
- Durable, enhanced-flow brass drain valve.
- CSA certified and ASME rated temperature & pressure relief valve.



OPERATING REQUIREMENTS:

- Requires provision for non-acidic condensate draining; if a suitable drain is not available a condensate pump is required.
- 240 VAC 50/60Hz single phase 30-amp power supply